

COAT FLAME



Flame protective welding coat in a durable and comfortable flame retardant treated material. Extra welding reinforcement protection at front. Tested for 50 cycles in industrial laundry.

- Multinorm
 - Approved for welding
 - Flame retardant treated
- Flame protective welding coat in a durable and comfortable flame retardant treated material. Extra welding reinforcement protection at front. Tested for 50 cycles in industrial laundry.

Technical

Velcro fastening at back neck / Ribbon fastening at back / Aramide reinforced front and sleeves / Elasticated sleeve end / Approved according to EN 61482-1-2 class 1, EN

61482-1-1 ATPV 10,6 cal/cm² HAF 80,4%, EN ISO 11612 A1 B1 C1 E2, F1, EN ISO 11611 A1 class 1 (see Flame and welding table for certified garment combinations for EN 11612 C2, E3, F2 and EN 11611 A1 class 2) and EN 1149-5 (Should be worn together with garments with the same certifications) / Approved after 50 washes / Leasing laundry-tested according to ISO 15797 / OEKO-TEX® certified.

Color: Dark Navy (F540)

Material: 75% cotton, 24% polyester, 1% anti-static fibre. Reinforcement: 74% cotton, 25% para-aramid, 1% anti-static fibre.

Weight: 365 g/m², reinforcement 340 g/m².

Concept: Dynamic

SKU: 125953 | **Categories:** [Tops](#), [Welding](#) |

VARIATIONS


Image	SKU	Price	Description	Size	Colour
	125953-540-404			XS	Navy
	125953-540-405			S	Navy

Image	SKU	Price	Description	Size	Colour
	125953-540-406			M	Navy
	125953-540-407			L	Navy
	125953-540-408			XL	Navy
	125953-540-409			2xl	Navy

Image	SKU	Price	Description	Size	Colour
	125953-540-410			3XL	Navy
	125953-540-411			4XL	Navy

GALLERY IMAGES



ADDITIONAL INFORMATION

Size 2xl, 3XL, 4XL, L, M, S, XL, XS

Colour Navy

PRODUCT FILES

No files for this product.

