ESD SINGLE-USE GLOVES



• Electrostatic Dissipative properties.
• High strength and elasticity.
• Black colour especially suited for tattoo studios, funeral parlours, police and security firms.
• Tested and approved for various chemicals.
• Micro textured fingertips for optimum grip.
• Weight 9.1 ± 0.4 g.

Important:

Vertical Resistance in accordance with EN 16350:2014

Voltage Resistance (ohms) 14.5×10^6

Suitable for: Assembly in the electronics industry | Automotive industry | Handling of photographic film | Optics | Laboratories | Tattoo studios | Police and security firms.

STANDARDS AND APPROVALS

- EN 420:2003 + A1:2009
- EN 374:2016
- EN 16350:2014
- CE Cat.III



SKU: 114.881 | **Category:** Single-use |

VARIATIONS

Image	SKU	Price	Description	Size	Colour
	114.881-S			S	Black
	114.881-M			M	Black

Image	SKU	Price	Description	Size	Colour
	114.881-L			L	Black
	114.881-XL			XL	Black
	114.881-XXL			XXL	Black

GALLERY IMAGES





PRODUCT DESCRIPTION

STANDARDS AND APPROVALS

- EN 420:2003 + A1:2009
- EN 374:2016
- EN 16350:2014
- CE Cat.III

PROTECTION AND RESISTANCE

- Chemical Protection
- ESD Protection
- Waterproof

FEATURES AND PROPERTIES

- Powder-free
- Precision

INDUSTRY

- Automotive
- Electronics
- Janitorial
- Laboratory
- Maintenance
- Oil, Gas and Mining
- Pharmaceutical
- Tactical/army/police

PRODUCT DETAILS

- Material:Nitrile
- Grip:Dry, Wet
- Glove fit:Tight fit
- Size:S | M | L | XL | XXL

- Length:30 cm
- Thickness:0.15 ± 0.02 mm
- Weight:9.1 ± 0.4 g
- Color:Black

ADDITIONAL INFORMATION

Size	L, M, S, XL, XXL
Colour	Black

PRODUCT FILES

No files for this product.