

GLOVE ANSELL ALPHATEC® 38-520

Gloves AlphaTec® 38-520 in butylpolymer provide the best protection against the most aggressive chemicals such as aldehydes, ketones and esters, as well as concentrated mineral acid, without compromising comfort. They are flexible and provide superior dexterity. Rough surface of the glove part for safer handling. Constructed for comfort with a natural ergonomic shape and a soft feel, are easy to put on and have good grip. No risk of latex allergies. Suitable for handling chemicals, opening and draining of pumps, valves or lines, filling, mixing and loading of raw materials, and repair and maintenance of equipment. Thickness: 0.5 mm. Sales unit: 1 pair. Carton: 36 par

EN Classifications

- CAT 3

CE Cat 3 High risk



- 2010A

EN 388_2010A



- ABCIKLPST



EN 374_ABCIKLPST

• Classification info

EN ISO 374-1:2016_ABCIKLNPST, EN 388:2016+A1:2018_2010A, EN 420:2003+A1:2009,
CAT 3

SKU: 0-6-38520 | **Categories:** [Chemical-resistant](#), [Gloves](#) |

VARIATIONS

Image	SKU	Price	Description	Size	Colour
	0-6-38520-98-10			10	Assorted
	0-6-38520-98-7			7	Assorted
	0-6-38520-98-8			8	Assorted
	0-6-38520-98-9			9	Assorted

ADDITIONAL INFORMATION

Size	10, 7, 8, 9
Colour	Assorted

PRODUCT FILES

No files for this product.

