

**GLOVE ANSELL ALPHATEC® 58-535**

Glove AlphaTec® 58-535W in nitrile with unmatched combination of chemical resistance, secure grip and a comfortable inner lining makes this glove ideal for outdoor use. Grip Technology™ that enables users to handle wet or oily objects with less power and better control. The combination of fluid resistance, chemical resistance and good grip together with flexibility and good dexterity make it a logical choice when working with chemicals. Suitable for metalworking and assembly, body painting including surface inspection, change of tools and molds, cleaning of tools, loading and unloading of trucks and vehicles, transfer of liquids and solids, handling of outgoing goods, and opening of furnaces, drainage pumps, valves or lines. Length: 35,6 cm.

Bundle: 12 pairs. Carton: 144 pairs.

**EN Classifications**

- CAT 3

CE Cat 3 High risk



- X1XXXX

EN 407\_X1XXXX



EN 1186 Materials and articles in contact with foodstuffs



EN 374 AJKLOPT



EN 388\_3132A

• **Classification info**

EN ISO 374-1:2016\_AJKLOPT, EN 388:2016+A1:2018\_3132A, EN 407:2004\_X1XXXX, EN 420:2003+A1:2009, CAT 3

**SKU:** 0-6-58535 | **Categories:** [Assembly](#), [Chemical-resistant](#), [Gloves](#) |

**VARIATIONS**


Image	SKU	Price	Description	Size	Colour
	0-6-58535-98-10			10	Assorted

Image	SKU	Price	Description	Size	Colour
	0-6-58535-98-11			11	Assorted
	0-6-58535-98-7			7	Assorted
	0-6-58535-98-8			8	Assorted
	0-6-58535-98-9			9	Assorted

**ADDITIONAL INFORMATION**

**Size** 10, 11, 7, 8, 9  
**Colour** Assorted

## **PRODUCT FILES**

No files for this product.

