GLOVE ANSELL HYLITE® 47-400



Glove Hylite™ 47-400, ¾ dipped, which is an alternative to cotton gloves and lightweight leather and PVC gloves. Knitted cuff. The special nitrile blend provides an excellent combination of suppleness, mechanical strength and resistance to oil. Natural fit and easy to use for extended periods. Silicone free. No metal plate contamination, important in the steel and automotive industries. Suitable for handling sheet metal and panels, chassis assembly, body trimming, final assembly, examination (picking, checking and marking), cutting glass sheets and panels, manufacturing of metal parts and sheets, and assembly and inspection of components. Length 27 cm. Bundle: 12 pairs. Carton: 144 pairs.

EN Classifications

- CE CAT 2

CE Cat 2 Medium risk



EN 388_3111A

• Classification info

EN 388:2016+A1:2018_3111A, EN 420:2003+A1:2009, CAT 2

SKU: 0-6-47400 | **Categories:** Assembly, Gloves |

VARIATIONS

Image	SKU	Price	Description	Size	Colour
	0-6-47400-98-10			10	Assorted
	0-6-47400-98-7			7	Assorted

Image	SKU	Price	Description	Size	Colour
	0-6-47400-98-8			8	Assorted
	0-6-47400-98-8,5			85	Assorted
	0-6-47400-98-9			9	Assorted

ADDITIONAL INFORMATION

Size	10, 7, 8, 85, 9
Colour	Assorted

PRODUCT FILES

No files for this product.