

**GLOVE ANSELL HYLITE® 47-400**

Glove Hylite™ 47-400,  $\frac{3}{4}$  dipped, which is an alternative to cotton gloves and lightweight leather and PVC gloves. Knitted cuff. The special nitrile blend provides an excellent combination of suppleness, mechanical strength and resistance to oil. Natural fit and easy to use for extended periods. Silicone free. No metal plate contamination, important in the steel and automotive industries. Suitable for handling sheet metal and panels, chassis assembly, body trimming, final assembly, examination (picking, checking and marking), cutting glass sheets and panels, manufacturing of metal parts and sheets, and assembly and inspection of components.

Length 27 cm. Bundle: 12 pairs. Carton: 144 pairs.

**EN Classifications**

• CAT 2

CE Cat 2 Medium risk



• 3111A

EN 388\_3111A

• **Classification info**

EN 388:2016+A1:2018\_3111A, EN 420:2003+A1:2009, CAT 2

**SKU:** 0-6-47400 | **Categories:** [Assembly](#), [Gloves](#) |

**VARIATIONS**




Image	SKU	Price	Description	Size	Colour
	0-6-47400-98-10			10	Assorted
	0-6-47400-98-7			7	Assorted

Image	SKU	Price	Description	Size	Colour
	0-6-47400-98-8			8	Assorted
	0-6-47400-98-8,5			85	Assorted
	0-6-47400-98-9			9	Assorted

**ADDITIONAL INFORMATION**

**Size** 10, 7, 8, 85, 9  
**Colour** Assorted

## **PRODUCT FILES**

No files for this product.

