

GLOVE REGELTEX FLASH & GRIP



Glove Regeltex Flash & Grip AFG41-0 that is dielectric and protects against mechanical hazards and electric arc class 0. Length 41 cm. Extremely flexible. Special coating that provides excellent grip, both in humid conditions, as well as oil and grease work. Bicolor makes visual inspection easy. 1ATPV 71.6 cal / cm², 1,000 volt. Each pair comes with one pair of fingerless cotton gloves to increase comfort. Sales unit: 1 pair.



ASTM - American Society for Testing and Materials



CE Cat 3 High risk



EN 61482-1-2 - Electric arc "Box test". Certified protective clothing.









IEC 61482-2 Electric arc. Box and Open arc test. Certified protective clothing.

• **Classification info**

EN 420:2003+A1:2009, EN 60903, IEC 60903, IEC 61482, ASTM F2675, CAT 3

SKU: 0-15410-1100 | **Categories:** [All-round](#), [Gloves](#) |

VARIATIONS

Image	SKU	Price	Description	Size	Colour
	0-15410-1100-80-10			10	Red
	0-15410-1100-80-11			11	Red
	0-15410-1100-80-12			12	Red
	0-15410-1100-80-7			7	Red
	0-15410-1100-80-8			8	Red
	0-15410-1100-80-9			9	Red

ADDITIONAL INFORMATION

Size 10, 11, 12, 7, 8, 9

Colour

Red

PRODUCT FILES

No files for this product.

