MOLTEN METAL BOOT LITHIUM SB



Lace boot for protection against high heat and molten metal. Electrically insulated up to 18,000 V. Outer sole in Rubber/PU. Heat resistant thread. Full grain leather, laces in front, zipper opening in the side. Front and side with cover, included soft metatarsal protection. Aluminum toe cap and soft penetration protection. Reinforced leather scuff cap. Removeable insole

EN Classifications

- 

ASTM American std approval of protective equipment

- 

EN ISO 20345 E Shock absorption in heel

- 

EN ISO 20345 FO Oil resistance outersole

- 

EN ISO 20345 HI Heat insulated footwear

- 

EN ISO 20345 HRO Heat resistant outersole

- 

EN ISO 20345 P Perforation resistance

- 

EN ISO 20345 Protective toe cap

- 

EN ISO 20345 SB

- 

EN ISO 20345 SRC Slip resistance

- 

EN ISO 20345 WRU Water resistance of upper

- 

EN ISO 20345 M Metatarsal protection

- 

EN ISO 20349 Footwear protecting against risks in foundries and welding

• Classification info

EN ISO 20345: 2011, EN ISO 20349:2010, SB P E FO M WRU HRO AL HI-3 SRC, tested to EH ASTM F2413-11

SKU: 0-5203-112 | **Categories:** Boots, Shoes |

VARIATIONS

Image	SKU	Price	Description	Size	Colour
	0-5203-112-10-36			36	Black

Image	SKU	Price	Description	Size	Colour
	0-5203-112-10-37			37	Black
	0-5203-112-10-38			38	Black
	0-5203-112-10-39			39	Black
	0-5203-112-10-40			40	Black
	0-5203-112-10-41			41	Black

Image	SKU	Price	Description	Size	Colour
	0-5203-112-10-42			42	Black
	0-5203-112-10-43			43	Black
	0-5203-112-10-44			44	Black
	0-5203-112-10-45			45	Black
	0-5203-112-10-46			46	Black

Image	SKU	Price	Description	Size	Colour
	0-5203-112-10-47			47	Black
	0-5203-112-10-48			48	Black

GALLERY IMAGES





ADDITIONAL INFORMATION

Size	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Colour	Black

PRODUCT FILES

No files for this product.