SHOE JALAS TITAN+ S3



Sturdy shoes with a good fit, PU-coated upper and rubber/PU outer sole with good cushioning and arch support. Cambrelle® and Thinsulate lining with a wide fit. Kevlar thread in the seams that withstands 427°C heat exposure for a short time and 204°C heat exposure over a longer period of time. Suitable for use throughout the year in proximity of hot surfaces and metal production and in environments with sharp objects.

Classifications

- 

EN 20345 S3

- 

Footwear - A Antistatic

- 

Footwear - CI Cold Insulated

- 

Footwear - E Shock Absorption in heel

- 

Footwear - FO Oil resistance outersole

- 

Footwear - HRO Heat resistant outersole

- 

Footwear - P Perforation resistance

- 

Footwear - Protective toe cap

- 

Footwear - WRU Water resistance of upper

- 

SRC Slip resistance

- 

EN ISO 20345-11 safety footwear

- 

UKCA

- 

ASTM F2413-18 M/I/C SD 35 PR

Classification info

- EN ISO 20345:2011, S3 CI HRO SRC

SKU: 0-1848-0 | **Categories:** Boots, Shoes |

VARIATIONS

Image	SKU	Price	Description	Size	Colour
	0-1848-0-10-36			36	Black
	0-1848-0-10-37			37	Black
	0-1848-0-10-38			38	Black
	0-1848-0-10-39			39	Black
	0-1848-0-10-40			40	Black

Image	SKU	Price	Description	Size	Colour
	0-1848-0-10-41			41	Black
	0-1848-0-10-42			42	Black
	0-1848-0-10-43			43	Black
	0-1848-0-10-44			44	Black
	0-1848-0-10-45			45	Black

Image	SKU	Price	Description	Size	Colour
	0-1848-0-10-46			46	Black
	0-1848-0-10-47			47	Black

GALLERY IMAGES



PRODUCT DESCRIPTION

PROPERTIES

Highest level of protection, excellent grip, perfect fit, extra comfortable, excellent shock absorption

SPECIFICATION
TYPE OF SHOE Safety footwear, boots/Ankle boots
NAIL PROTECTION MATERIAL Steel
FITTING Wide
SIZE RANGE (EU) 36-48
COLLECTION Gran Premio
PLATFORM Enduro
UPPER MATERIAL PU-coated leather
UPPER MATERIAL THICKNESS 1,6-1,8
PRONOSE MATERIAL PU
TOECAP MATERIAL Aluminium
LINING MATERIAL Cambrelle®, polyester
SOLE MATERIAL PU midsole, rubber outsole
INSOLE FX2 Pro
INSOLE MATERIAL Textile, soft EVA, polyester-based conductive thread, double shock absorption zones in Poron® XRD®
FASTENING Velcro®
COLOUR Black

ADDITIONAL INFORMATION

Size	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Colour	Black

PRODUCT FILES

- Products sheet