

## SOLID GEAR REVOLUTION 2



Revolution 2 integrates the complete ETPU technology. The more energy you give, the more you get back. The shoe provides cushioning and comfort for endless hours of walking while reducing pressure. The lightweight CORDURA® and the stretch material provides an amazing feeling in terms of fitting and cushioning. By the end of the day you will have a completely different feeling in your feet and body, compared to using traditional safety shoes. To provide optimal protection without sacrificing comfort and sustainability, Revolution 2 uses the specially developed high rebound OrthoLite® insole mainly made of recycled materials. Revolution 2 will be the gamechanger in terms of cushioning and lightweight, while not only focus on safety when concentrating technologies in the product. ESD function according to EN IEC 61340-4-3:2018.

**SKU:** SG76009 | **Categories:** [Safety Shoes](#), [Shoes](#) |

## VARIATIONS













Image	SKU	Price	Description	Size
	SG76009			36
	SG76009			37
	SG76009			38
	SG76009			39
	SG76009			40
	SG76009			41

Image	SKU	Price	Description	Size
	SG76009			42
	SG76009			43
	SG76009			44
	SG76009			45
	SG76009			46
	SG76009			47

**Image**

**SKU**

**Price**

**Description**

**Size**



SG76009

48

**GALLERY IMAGES**



## PRODUCT DESCRIPTION

- Upper: Lightweight CORDURA® ripstop with TPU reinforcements
  - Lining: Stretch and mesh
  - Outsole: Oil and slip resistant dual rubber
    - Midsole: ETPU
- Footbed: PU foam with highly breathable recycled materials
  - Function: BOA® Fit System
    - Fit: Normal
    - Sizes: 36-48
- Safety standard: EN ISO 20345:2011 S3, SRC, HRO
- Protection: NANO toe cap and soft nail protection

## **ADDITIONAL INFORMATION**

### **Size**

36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48

## **PRODUCT FILES**

No files for this product.

