



SUPPLY

Workwear & Profile

SINGLE-USE



ESD SINGLE-USE GLOVES

- Electrostatic Dissipative properties.
- High strength and elasticity.
- Black colour especially suited for tattoo studios, funeral parlours, police and security firms.
- Tested and approved for various chemicals.
- Micro textured fingertips for optimum grip.
- Weight 9.1 ± 0.4 g.

Important:

Vertical Resistance in accordance with EN 16350:2014

Voltage Resistance (ohms) 14.5×10^6

Suitable for: Assembly in the electronics industry | Automotive industry | Handling of photographic film | Optics | Laboratories | Tattoo studios | Police and security firms.



STANDARDS AND APPROVALS

- EN 420:2003 + A1:2009
- EN 374:2016
- EN 16350:2014
- CE Cat.III



AQL

STANDARDS AND APPROVALS

- EN 420:2003 + A1:2009
- EN 374:2016
- EN 16350:2014
- CE Cat.III

PROTECTION AND RESISTANCE

- Chemical Protection
- ESD Protection
- Waterproof

FEATURES AND PROPERTIES

- Powder-free
- Precision

INDUSTRY

- Automotive
- Electronics
- Janitorial
- Laboratory
- Maintenance
- Oil, Gas and Mining
- Pharmaceutical
- Tactical/army/police

PRODUCT DETAILS

- Material:Nitrile
- Grip:Dry, Wet
- Glove fit:Tight fit
- Size:S | M | L | XL | XXL
- Length:30 cm
- Thickness: 0.15 ± 0.02 mm
- Weight: 9.1 ± 0.4 g
- Color:Black

Size
Colour

L, M, S, XL, XXL
Black

[Read More](#)

SKU: 114.881

Price:

Kategori: [Single-use](#)



SINGLE-USE GLOVES

- High strength and elasticity.
- Black colour especially suited for tattoo studios, police, funeral parlours and security firms.
- Tested and approved for various chemicals.
- Micro textured for optimum grip.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Approved for medical use (EN 455).
- Weight 5.8 ± 0.2 g.

Suitable for: Assembly in the electronics industry | Handling of photographic film Optics and laboratories | Tattoo studios | Police | Funeral parlours and security firms.
Standards and Approvals



EN 420:2003 + A1:2009



EN 374-1:2016/

Type B



KPT

EN 374-5:2016



VIRUS



1,5

EN 1186



MD



Size

L, M, S, XL, XXL

Colour

Black

[Read More](#)

SKU: 114.880

Price:

Categories: [Gloves](#), [Single-use](#)



SINGLE-USE GLOVES MAGIC TOUCH®

Soft Nitrile™, powder free. Dark blue color

- Soft and strong nitrile.
- Lightweight and elastic.
- Enhanced finger sensitivity and dexterity.
- Great alternative to vinyl single use gloves.
- Micro textured fingertips for optimum grip.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Weight 2.7 ± 0.2 g.
- Economy pack, 200 gloves per dispenser.

IMPORTANT: XL: 180 pcs. per dispenser box

PACKING

- Pieces Per Dispenser Box: 200

INDUSTRY

- Catering
- Food Processing
- Janitorial
- Retail

STANDARDS AND APPROVALS

- EN 1186
- EN 420:2003 + A1:2009
- EN 374:2016
- CE Cat.III

PROTECTION AND RESISTANCE

- Waterproof

FEATURES AND PROPERTIES

- Powder-free
- Precision

Size
Colour

L, M, S, XL, XS
Blue

[Read More](#)

SKU: 114.611

Price:

Categories: [Gloves](#), [Single-use](#)



SINGLE-USE GLOVES

Thermo Elastic Polymer (T.E.P.), powder-free. Clear color

- Silicone and phthalates-free.
- Good tactile sensation.
- Approved for contact with all kinds of food including fatty foods (EN 1186).
- Odourless.
- Reduced waste due to more than 60% reduced glove thickness compared to vinyl.
- Up to more than 400% more gloves per box compared to vinyl.

PACKING

- Pieces Per Dispenser Box:200

INDUSTRY

- Catering
- Food Processing
- Boning
- Janitorial
- Retail

STANDARDS AND APPROVALS

- EN 1186
- CE

PROTECTION AND RESISTANCE

- Waterproof

FEATURES AND PROPERTIES

- Phthalates-free
- Powder-free
- Silicone-free

Size

L, M, S, XL

Colour

Clear

[Read More](#)

SKU: 111.0092

Price:

Categories: [Gloves](#), [Single-use](#)





SINGLE-USE GLOVES MAGIC TOUCH®

Soft Nitrile™, powder-free. Accelerators free. Indigo color

- Soft and strong nitrile.
- The thinnest glove in Granberg's Accelerators Free gloves range.
- 100% without chemical accelerators.
- Micro textured fingertips for optimum grip.
- Resistant to grease, fats, detergents, etc.
- Approved for medical use (EN 455).
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Tested according to ASTM D6978-05 - Resistance of Medical Gloves to Permeation by Chemotherapy Drugs.
- Weight 3.2 ± 0.5 g.

PACKING

- Pieces Per Dispenser Box: 100

INDUSTRY

- Catering
- Dental
- Food Processing
- Examination
- Chemical
- Janitorial
- Laboratory
- Pharmaceutical

STANDARDS AND APPROVALS

- EN 420:2003 + A1:2009
- EN 1186
- EN 455
- EN 374:2016
- CE Cat.III

PROTECTION AND RESISTANCE

- Waterproof

FEATURES AND PROPERTIES

- Accelerator free
- Powder-free
- Precision

Size
Colour

L, M, S, XL, XS
Indigo

[Read More](#)

SKU: 114.616

Price:

Categories: [Chemical-resistant](#), [Gloves](#), [Single-use](#)



SINGLE-USE GLOVES MAGIC TOUCH®

Soft Nitrile™, powder-free. White color

- Soft and strong nitrile.
- Thinner than similar gloves, with nearly the same elasticity and touch sensitivity as latex.
- Micro textured fingertips for optimum grip.
- Resistant to grease, fats, detergents, etc.
- Approved for medical use (EN 455).
- Tested according to ASTM D6978-05 - Resistance of Medical Gloves to Permeation by Chemotherapy Drugs.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Weight $3,5 \pm 0,5$ g.

PACKING

- Pieces Per Dispenser Box:100

INDUSTRY

- Catering
- Dental
- Food Processing
- Examination
- Janitorial
- Laboratory
- Pharmaceutical

STANDARDS AND APPROVALS

- EN 1186
- EN 455
- EN 420:2003 + A1:2009
- EN 374:2016
- CE Cat.III

PROTECTION AND RESISTANCE

- Waterproof

FEATURES AND PROPERTIES

- Powder-free
- Precision

Size
Colour


L, M, S, XL
White

[Read More](#)

SKU: 114.620

Price:

Categories: [Gloves](#), [Single-use](#)



DISPOSABLE NITRILE GLOVE WORKSAFE PF (150PCS)

Size
Colour

L, M, S, XL, XS
Blue

[Read More](#)

SKU: 2431565

Price:

Categories: [Gloves](#), [Single-use](#)



CHEMICAL RESISTANT DISPOSABLE GLOVES

100 pack

- Micro textured for optimum grip.
- Tested and approved for various chemicals.
- Resistant to grease, fats, detergents, etc.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Approved for medical use (EN 455).
- Weight 5.8 ± 0.2 g.

PACKING

- Quantity per dispenser box: 100

PRODUCT DETAILS

- Material:Nitrile
- Grip:Dry, Wet
- Glove fit:Tight fit
- Size:S | M | L | XL | XXL
- Length:245 mm
- Thickness: 0.12 ± 0.02 mm (palm)
- Weight: $5,8 \pm 0,2$ g
- Color:Blue

STANDARDS AND APPROVALS

- EN 420:2003 + A1:2009
- EN 1186
- EN 455
- EN 374:2016
- CE Cat.III

PROTECTION AND RESISTANCE

- Waterproof

FEATURES AND PROPERTIES

- Powder-free
- Precision

INDUSTRY

- Agriculture
- Catering
- Dental
- Automotive
- Food Processing
- Examination
- Building and Construction
- Boning
- Janitorial
- Laboratory
- Maintenance
- Pharmaceutical

Size
Colour

L, M, S, XL, XXL
Blue



[Read More](#)

SKU: 114.770

Price:

Categories: [Chemical-resistant](#), [Gloves](#), [Single-use](#)



DISPOSABLE MAGIC TOUCH GLOVES

- Soft and strong nitrile.
- Thinner than similar gloves, with nearly the same elasticity and touch sensitivity as latex.
- Micro-textured fingertips for optimum grip.
- Black colour especially suited for tattoo studios, police, funeral parlours and security firms.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Approved for medical use (EN 455).
- Weight 3.5 ± 0.3 g.

PACKNING

- Quantity per dispenser box: 100

PRODUCT DETAILS

- Material:Nitrile
- Grip:Dry, Wet
- Glove fit:Tight fit
- Size:S | M | L | XL
- Length:25 cm
- Thickness:min 0.06 mm (palm)
- Weight:3,5 \pm 0,3 g
- Color:Black

STANDARDS AND APPROVALS

- EN 420:2003 + A1:2009
- EN 455
- EN 1186
- EN 374:2016
- CE Cat.III

PROTECTION AND RESISTANCE

- Waterproof

FEATURES AND PROPERTIES

- Powder-free
- Precision

Size
Colour

L, M, S, XL
Black

[Read More](#)

SKU: 114.628

Price:

Categories: [Gloves](#), [Single-use](#)





DISPOSABLE NITRILE HEAVY 100 PCS

- Hanske i forsterket nitrilgummi som er godkjent for generell beskyttelse mot kjemikalier og tåler sterkere stoffer som sitrusrens og dieselolje.
- Velegnet til motor og oppretting, service og bilpleie.
- Renhold og sikkerhetskontroll.
- Post og pakke ekspedisjon.
- Maling, tatovering og grafisk produksjon.
- Tykkelse 0,14- 0,16 mm.
- Størrelse 7(M), 8(L), 9(XL), 10(XXL).
- Pakning PK à 100stk. Kartong: 10 PK.

Size 10, 6, 7, 8, 9
Colour Black

[Read More](#)

SKU: 100105_WH

Price:

Categories: [Gloves](#), [Single-use](#)



GLOVE ANSELL MICROFLEX® 50PCK

Disposable glove MICROFLEX® 93-260 with three-layer design that provides tough protection against stronger chemicals including acids, solvents and bases. Unmatched comfort. Extra soft material and ergonomic design for a premium fit, feel and flexibility. Lower acceptable buttonhole incidence (0.65 AQL) for reliable protection against hazardous substances. Silicone free. Suitable for inspection, selection, and control of parts, assembly and inspection of components, repair and maintenance of equipment, aftermarket for automobile, oil, fluids and filter exchange, mixing, composition of solids and liquids, and transfer of liquids and solids. Sales unit: 1 box of 50 pieces. Carton: 10 boxes of 50 pieces

EN Classifications



- CAT 3

CE Cat 3 High risk



- VIRUS

EN 374-5 - Protective gloves against dangerous chemicals and micro-organisms

EN ISO 374-1:2016




- JKLOPST

EN 374_JKLOPST



- 2000X

EN 388_2000X



-

EN 421 - Protective gloves against ionizing radiation and radioactive contamination

• Classification info

EN ISO 374-1:2016_JKLOPST, EN 388:2016+A1:2018_2000X, EN 421:2010, EN 420:2003+A1:2009, CAT 3

Size

L, M, S, XL, XS, XXL

[Read More](#)

SKU: 0-6-93260

Price:

Categories: [Assembly](#), [Chemical-resistant](#), [Gloves](#), [Single-use](#)



GLOVE EDGE® 82-133

Disposable glove EDGE® 82-133. Affordable protection and comfort. Powder free. Made with a thinner nitrile design that enhances comfort and improves flexibility without compromising protection. Textured fingertips, for better grip in a variety of applications. Suitable for catering, handling and processing of foodstuffs, inspection of parts and equipment, assembly and inspection of components, repair and maintenance of equipment, handling of paint/glue pistols and sprayers, and transfer of liquids and solids. Sales unit: 1 box of 300 pcs. Carton: 10 boxes of 300 pieces

Size 55-6, 65-7, 75-8, 85-9, 95
Colour Blue

[Read More](#)

SKU: 0-6-82133-98

Price:

Categories: [Assembly](#), [Gloves](#), [Single-use](#)



GLOVE ANSELL TOUCHNTUFF®

Disposable glove TouchNTuff® 92-500 is a very versatile disposable glove and is suitable for many different applications. Textured fingertips. Powdered. Chemical spray protection, which withstands a greater variety of industrial chemicals over longer periods of time than other nitrile disposable gloves. Soft nitrile blend provides a high level of comfort. Powerful design for good durability. It has four times better resistance to puncture than comparable gloves in natural latex, and three times better resistance than neoprene gloves. Does not contain natural rubber proteins, therefore no risk of Type I allergies. The "Thin Nitrile Technology" formula makes this glove easy to put on and has good grip under wet or dry conditions. Silicone free. Suitable for transfer of liquids and solids, processing, processing of meat, fish and foodstuffs, industrial production, maintenance, and to laboratories. Sales unit: 1 box of 100 pcs. Carton: 10 boxes of 100

EN Classifications



- CAT 3

CE Cat 3 High risk



-

EC 1935/2004



- VIRUS

EN ISO 374-5 Protective gloves against dangerous chemicals and micro-organisms

EN ISO 374-1:2016



- JKPT

EN 374 JKPT

- **Classification info**

EN ISO 374-1:2016_JKPT, EN 420:2003+A1:2009, CAT 3

Size L, M, S, XL
Colour Royal Blue

[Read More](#)

SKU: 0-6-92500

Price:

Categories: [Gloves](#), [Single-use](#)



GLOVE ANSELL TOUCHNTUFF®

Disposable glove TouchNTuff® 92-600 which is very versatile and is suitable for many different applications. Smooth fingertips. No powder. Chemical spray protection, which withstands a greater variety of industrial chemicals over longer periods of time than other nitrile disposable gloves. Soft nitrile blend provides a high level of comfort. Powerful design for good durability. It has four times better resistance to puncture than comparable gloves in natural latex, and three times better resistance than neoprene gloves. Does not contain natural rubber proteins, therefore no risk of Type I allergies. The "Thin Nitrile Technology" formula makes this glove easy to put on and has good grip under wet or dry conditions. Silicone free. Suitable for transfer of liquids and solids, processing, processing of meat, fish and foodstuffs, industrial production, maintenance, laboratories, and handling of chemicals.

Sales unit: 1 box of 100 pcs. Carton: 10 boxes of 100 pcs.

EN Classifications



- CAT 3

CE Cat 3 High risk



-

EC 1935/2004



- VIRUS

EN ISO 374-5 Protective gloves against dangerous chemicals and micro-organisms

EN ISO 374-1:2016



- JKPT

EN 374 JKPT

- **Classification info**

EN ISO 374-1:2016_JKPT, EN 420:2003+A1:2009, CAT 3

Size L, M, S, XL
Colour Assorted

[Read More](#)

SKU: 0-6-92600

Price:

Categories: [Chemical-resistant](#), [Gloves](#), [Single-use](#)

